

OVERVIEW

FLEXIAUCTION MOBILE ROLLKEEPER is an add-on mobile application that is used offline to capture pricing and bidder information for your vendueroll on mobile devices.

This information is synchronized with FLEXIAUCTION for proper handling

MANUAL VENDUEROLL DISCLAIMER

FMROLL is provided for faster capturing of the vendueroll, you are however still required to keep a proper paper and/or audio/video vendueroll for auditing purposes. We will NOT accept ANY liability for ANY errors/malfunction in this regard. FMROLL should be viewed as your secondary mechanism for capturing your vendueroll. IF YOU DO NOT ACCEPT THESE TERMS, PLEASE DO NOT USE FMROLL

PWA WARNING



This product was developed as a Progressive Web App (PWA), allowing it to seamlessly function on any device with a compatible browser. It however still is a website, it just looks and feels like a native app, but with the ability for local storage (offline operation) when installed on a mobile device.

PWA's is platform independent, so it will work on any platform on most modern browsers.

PWA use the browser cache to store the information you captured, this information will be lost when you clear the browser history, clear your site settings, or reconfigure your browser.

TREAT ALL CAPTURED DATA ON THE DEVICE AS TEMPORARY. ALWAYS TRY TO SYNC WITH THE FH SERVER AS FREQUENT AS POSSIBLE TO AVOID ANY DATA LOSS.

Do NOT clear your browsing history, change site settings, uninstall the PWA or update your device or update your browser app while you have outstanding captured data that is not synced with the FH server yet.

FMROLL Installation on device

- Open the browser on your mobile device
- Browse to app website
 www.flexiauction.com/fmroll
- Page will open
- You will be prompted to "INSTALL" it (wording might differ)
- After installation an icon will be created to access the PWA

If you do net get the option to "install", try to clear your browsing history, reset site settings, or uninstall the previous version of the PWA if it was installed. (Use with care).

If the PWA is not installed on the device, you will <u>NOT</u> be able to use it offline.

FLEXIAUCTION HELPER PREREQUISITES

FH FXAHELPER

Each FlexiAuction laptop will have a companion application installed named FLEXIAUCTION HELPER (FH). FH must be configured to operate correctly. (Host, Datastore, FQDN, SSL, Settings, etc.) FH will receive and process ALL communication from the PWA mobile devices.



FLEXIAUCTION HELPER CONFIGURATION

This function will usually be configured by our Helpdesk.

- ✓ Update FH to newest version (click logo > admin > Update FH)
- ✓ Download SSL DLLs (click logo > admin > GET SSL DLLs)
- Download SSL CERT (click logo > admin > GET SSL CERT) Please note that we use free wildcard certificates issued by LetsEncrypt. These certificates need to be renewed every 3 months. The most recent certificates will always to on our website, accessible with "GET SSL CERT" Please check your browser for expiry date (click logo > TEST > click the lock icon in browser for details)
- ✓ Download CSP (click logo > admin > GET CSP)
- ✓ Set FH.INI file to correct settings (click logo > Edit INI) and save it when done:
- ✓ Configure FH.INI \ HostFXA to your correct FQDN and port e.g. "auc100.fxapc.xyz:8080"
- ✓ Configure FH.INI \ DoFMROLL to "Y" to be ticked automatically on start.

Please check the expiry date of your SSL certificates regularly to ensure renewal

Secure communication



As industry standard and PWA requirement all communication between the PWA and FH must be handled in a secure and encrypted manner, as such it will require that SSL is enabled on <u>ALL</u> devices.

All the devices on the network should be able to access FH by a fully qualified domain name (FQDN) E.g. Laptop running FlexiAuction and FH with hostname "**AUC100**" with IP **192.168.1.100** ALL the devices on your network should be able to resolve the IP address 192.168.1.100 to, or access AUC100 by a the FQDN "**auc100.fxapc.xyz**"

Please contact your network tec	chnician to set this up properly.
Final devices are on the sa	me network. Ensure that EH is running on the target lanton
On all the Windows laptops/computers	 Open C:\Windows\System32\drivers\etc\HOSTS Add entry with IP address and FQDN, e.g. "192.168.1.100 auc100.fxapc.xyz" Save the file Open the PWA on desktop browser and TEST with "auc100.fxapc.xyz"
	Goto Google Play Store
	 Find and install "(no root) HOSTS GO" then run it.
On Android mobile devices:	Heat G
	 Open "Hosts Editor" Add entry with IP address, e.g. "192.168.1.100" and DOMAIN, e.g., "auc100.fxapc.xyz" and save it. Click "START" Open the PWA on mobile browser and TEST with "auc100.fxapc.xyz"
On iPhone, iOS or Apple devices:	 We do NOT support these devices, please contact your network technician to set this up properly. "DNSCloak" and "Adguard" was suggested as possible solutions

Flexiauction Integration



As the auction progress the mobile clerks will use their devices to capture the vendueroll data, and "Sync with FH Server" periodically

FH will now "listen" and process all incoming sessions from devices and do the following for each: Save the captured roll in C:\FXA\MROLLKEEP\MR<date serial>_<provided heading>_<device>_<event>.TXT e.g. C:\FXA\MR250122154808_MKMM_TEST1_1.txt

FMROLL operating offline WITHOUT any knowledge of your lots or bidders (i.e., it is two independent systems)

Auction Types	Used for pre-lotted auctions (stud, vehicle, loose) only. FMROLL will not work for calendar
	livestock auctions where capturing is done in the auction ring
Lot numbers	Must be numeric.
	FMROLL operating offline WITHOUT any knowledge of your lots.
	LOT number should already exist at time of upload, as lot is not validated on the PWA.
Bidder numbers	Must be numeric.
	FMROLL operating offline WITHOUT any knowledge of your bidders
	BSNR should already exist at time of upload, as bidder s not validated on the PWA.
Limits	You can use FMROLL to capture and upload the vendueroll on ANY number of devices,
	The FlexiAuction clerk will control what is synced into FlexiAuction.
	e.g., "a backup roll-keeper"
	For uninterrupted operation, you can capture on multiple devices, and swaps phone often,
	this will also apply in case you are off-line at capturing stage. (e.g., not in WIFI range)



In FlexiAuction right-click vendueroll > LOT AUCTIONS > MOBILE ROLLKEEPER





Click "SELECT FILE" to select all uploaded vendueroll sessions You can manually make changes for this session (e.g., remove duplicated, prefix with "//" to ignore, add manual lines, etc)

LOT that is repeated will override the previous lot LOT entries prefixed with "//" will be ignored Click BSNR to quickly register buyers without leaving this form

Click VERIFY to ensure that the session is correct Click SAVE when done Click UPDATE ROLL to update the vendueroll with session PLEASE Ensure vendueroll is updated correctly Repeat until finished

FMROLL Operation

Home screen

Home Page	2				
On the mai three optic	n screen you will be presented with ons		NFHROLL ver 22.1.1.a.beta		
	Here you will capture the values for the vendueroll Display a list of the captured values	BNR AMT QTY	ALL	itm]all ALL	
		[+]		ST	
	Synchronize the captured values to a FH Server to be processed in FLEXIAUCTION. The list will be cleared when sent successfully.	FLEXI MO ROLL FMROLL usa paper/audio	BILE REEP ge requirement : Please kee vendueroll for auditing purp	sp a oses !!	

HOW TO CAPTURE A LOT



Example LOT 100, BUYER 10, AMOUNT R1000

Enter "1" into the TextBox, then click	1
for the "1" to be assign to the LOT number	
Enter "10" into the TextBox, then click	
BNR	10
for the "10" to be assign to the BIDDER number	
Enter "1000" into the TextBox, then click	1000
For the 1000 to be assign to the AMOUNT price.	
[+] ADD TO LIST	LOT 1 BNR 10 AMT 1000/itm Imlal QTY ALL ALL
The captured value ``1,10,1000,A " Will be added to the LIST	1,10,1000,A;
Click To view the LIST Double-click or click "//" to toggle the "//" prefix. Items prefixed with "//" will be ignored. If an item was captured incorrectly, just re-capture it, As is will override perevious list item.	FLEXIAUCTION FMROLL ver 22.1.1.a.beta Image: Constraint of the state o
REPEAT FOR A FEW LOTS AND A TIME -BUT- YOU SHOULD SYNC WITH THE FH SERVER AS REGULAR INTERVALS TO ALLOW FOR THE CLERK TO UPDATE THE VENDUEROLL IN FLEXIAUCTION	
Click From this Window we will be able to upload all captured lots on this device to the FH SERVER Enter all the applicable connection information Ensure that you do enter a meaningful HEADING for the clerk to identify this session. Click "Test" to confirm the connection is working. If the connection is working you will receive a "result: OK" indicator. Click "SYNC WITH FH SERVER" to upload the captured data to the server.	HTTPS SERVER PORT

EXAMPLE



j	#			- 8	\$ PAY F10 🚺 REG F9 20	0220103@L	OCAL - LOC	AL (03/01/22
Ī	SHEET#	LN	LOT	SELLER	S>	BUYER	B>	QTY1	TYPE1
	1	Α	1	S1	SAREL OWNER SELLERBO	NS	NOSALE	1	COMPUTER
	1	в	2	S1	SAREL OWNER SELLERBO	NS	NOSALE	1	DESK
	1	С	3	S1	SAREL OWNER SELLERBO	NS	NOSALE	1	PRINTER
	1	D	4	S1	SAREL OWNER SELLERBO	NS	NOSALE	1	SPADES X 3
	1	Е	5	S1	SAREL OWNER SELLERBO	NS	NOSALE	10	WHEELBARROW
	1	F							
Ī	1	G							

	- REGISTRATIONS (20220103@LOCAL)					
	0 🖪			÷		
	BSNR	CUSTOMER	CUSTOMER NR	NOTE		
Þ	1	том				
	2	DICK				
	3	HARRY				
	4	SALLY				
	5	JACK				
	6	JILL	and the second second			

We Want the Lots sold as follows

LOT	BUYER	PRICE
1	1	R 100
2	3	R 200
3	2	R 500
4	4	R 150 for all 3 spades / R50 each
5	3	R100 for x 5
	2	R100 for x3
	4	R120 for x2

SHEET#	LN	LOT	SELLER	S>	BN	B>	іАМТЬ	QTY1	TYPE1
1	Α	1	S1	SAREL OWNER SELLERBO	1	том	100.00	1	COMPUTER
1	в	2	S1	SAREL OWNER SELLERBO	3	HARRY	200.00	1	DESK
1	С	3	S1	SAREL OWNER SELLERBO	2	DICK	500.00	1	PRINTER
1	D	4	S1	SAREL OWNER SELLERBO	4	SALLY	150.00	1	SPADES X 3
1	Е	5	S1	SAREL OWNER SELLERBO		NOSALE	0.00	0	WHEELBARROW
2	Α	5.1	S1	SAREL OWNER SELLERBO	3	HARRY	100.00	5	WHEELBARROW
3	Α	5.2	S1	SAREL OWNER SELLERBO	2	DICK	100.00	3	WHEELBARROW
4	Α	5.3	S1	SAREL OWNER SELLERBO	4	SALLY	120.00	2	WHEELBARROW
-									

Session Result

FORMAT: LOT , BSNR , AMT[A] , [A/QTY] ;

where

values is separated by a comma and the line terminated with a semicolon.

<mark>1,1,100,A;</mark>	
2,3,200,A;	
3,2,500,A;	
4,4,150A,A;	Note 150A, the "A" denotes the price is for ALL items
5,3,100,5;	Multibuyer
<mark>5,2,100,3;</mark>	Please note that the quantity is stated (not like "A" for others)
<mark>5,4,120,2;</mark>	

LOT	LOT is the LOT number
BSNR	BSNR is the bidder number
AMT[A]	AMT is the bid amount/price This amount is always assumed to be for EACH item, -but- if this is the price for ALL items in the lot, then "A" as postfixed. e.g., LOT 3: R150 for all 3 spades in that lot (i.e. R50 each) click itm[all To toggle between "itm" (price for each) or "all" (price for all)
[A/QTY]	The Quantity of items contained in this lot You do NOT need the enter the quantity, as ALL the items in the lot is ALWAYS assumed implicitly, you will only capture the quantity if there is multiple buyers taking different quantities E.g., LOT 5: three different bidders bid on the wheelbarrows Please note that if no quantity is stated, "A" is used for the value (meaning "ALL"), Else if the quantity is stated, that quantity will be stated. Do not use decimal values, as FLEXIAUCTION does not use it for QTY click

-oOXOo-

Thank you. WIHAN KOTZE. 26.1.22.a